Applications

WB,IHC



JAK3 (Phospho Tyr981) Rabbit pAb

CatalogNo: YP1590

| Key Features

Host Species Reactivity

RabbitHuman, Mouse, Rat

MW Isotype • 73kD (Observed) • IgG

Recommended Dilution Ratios

WB 1:500-2000 IHC 1:50-300

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen	Synthesized peptide derived from human JAK3 (Phospho Tyr981)
Specificity	This antibody detects endogenous levels of Human, Mouse, Rat JAK3 (Phospho Tyr981). The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites): DYVVV

Target Information

Gene name

JAK3

Protein Name

JAK3 (Phospho Tyr981)

Organism	Gene ID	UniProt ID
Human	<u>3718;</u>	<u>P52333;</u>
Mouse	<u>16453;</u>	<u>Q62137;</u>
Rat		<u>Q63272</u> ;

Cellular Localization


Endomembrane system; Peripheral membrane protein. Cytoplasm.

Tissue specificity In NK cells and an NK-like cell line but not in resting T-cells or in other tissues. The S-form is more commonly seen in hematopoietic lines, whereas the B-form is detected in cells both of hematopoietic and epithelial origins.

Function

regulation of transcription, DNA-dependent, regulation of transcription from RNA polymerase II promoter, protein amino acid phosphorylation, phosphorus metabolic process, phosphate metabolic process, cell surface receptor linked signal transduction, enzyme linked receptor protein signaling pathway, intracellular signaling cascade, protein kinase cascade, positive regulation of biosynthetic process, positive regulation of macromolecule biosynthetic process, positive regulation of macromolecule metabolic process, positive regulation of gene expression, phosphorylation, peptidyltyrosine phosphorylation, peptidyl-tyrosine modification, cytokine-mediated signaling pathway, positive regulation of cellular biosynthetic process, regulation of transcription, positive regulation of transcription, DNA-dependent, positive regulation of nucleobase, nucleoside, nucleotide and nucleic acid metabolic process, positive regulation of transcription, positive regulation of transcription from RNA polymerase II promoter, positive regulation of nitrogen compound metabolic process, regulation of RNA metabolic process, positive regulation of RNA metabolic process,

I Validation Data



Immunohistochemical analysis of paraffin-embedded human Gastric adenocarcinoma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

JAK3 (Phospho
Tyr981) Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents