**Applications** 

WB,IHC,IF,ELISA



# AIM2 Rabbit pAb

CatalogNo: YT0151

## **Key Features**

Host Species Reactivity

Rabbit
 Human, Mouse, Rat

MW Isotype
• 39kD (Observed) • IgG

### **Recommended Dilution Ratios**

WB 1:500-1:2000 IHC 1:100-1:300 IF 1:200-1:1000 ELISA 1:40000

Not yet tested in other applications.

#### Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

# **Basic Information**

**Clonality** Polyclonal

# Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from human AIM2. AA

range:51-100

**Specificity** AIM2 Polyclonal Antibody detects endogenous levels of AIM2 protein.

# | Target Information

Gene name AIM2

**Protein Name** Interferon-inducible protein AIM2

Organism Gene ID UniProt ID

Human <u>9447;</u> <u>014862;</u>

Mouse Q91VJ1;

Cellular Localization Nucleus. Cytoplasm. Activated inflammasomes can aggregate in the cytosol as speck-like

particles.

**Tissue specificity** Expressed in spleen, small intestine, peripheral blood leukocytes, and testis.

**Function** Disease:Defects in AIM2 may be a cause of microsatellite unstable colon

cancers., Function: Tumor suppressor which may act by repressing NF-kappa-B

transcriptional activity.,induction:By interferon gamma.,similarity:Belongs to the HIN-200

family., similarity: Contains 1 DAPIN domain., similarity: Contains 1 HIN-200

domain., subunit: Homodimer., tissue specificity: Expressed in spleen, small intestine,

peripheral blood leukocytes, and testis.,

#### **Validation Data**

### | Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **AIM2 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents