

www.immunoway.com

CARP Rabbit pAb

CatalogNo: YT0640

Key Features

Host Species

Rabbit

MW • 36kD (Observed) Reactivity

Human,Mouse,Rat

Isotype

• IgG

ApplicationsWB,IHC,IF,ELISA

Recommended Dilution Ratios

WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:20000 IF 1:50-200

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen	The antiserum was produced against synthesized peptide derived from human ANKRD1. AA range:231-280
Specificity	CARP Polyclonal Antibody detects endogenous levels of CARP protein.

Target Information

Gene name

ANKRD1

Protein Name Ankyrin repeat domain-containing protein 1

Organism	Gene ID	UniProt ID
Human	<u>27063;</u>	<u>Q15327;</u>
Mouse	<u>107765;</u>	<u>Q9CR42;</u>
Rat	<u>27064;</u>	<u>Q8R560;</u>

Cellular Nucleus .

Localization

Tissue specificity Mainly expressed in activated vascular endothelial cells. To a lower extent, also expressed in hepatoma cells.

Function Disease:Defects in ANKRD1 may be a cause of total anomalous pulmonary venous return (TAPVR) [MIM:106700]. TAPVR is a rare congenital heart disease (CHD) in which the pulmonary veins fail to connect to the left atrium during cardiac development, draining instead into either the right atrium or one of its venous tributaries. This disease accounts for 1.5% of all CHDs and has a prevalence of approximately 1 out of 15'000 live births., Function: May play an important role in endothelial cell activation. May act as a nuclear transcription factor that negatively regulates the expression of cardiac genes. Induction seems to be correlated with apoptotic cell death in hepatoma cells., induction: By TNF, IL1A and parthenolide., miscellaneous: A chromosomal aberration in the region of ANKRD1 may be a cause of total anomalous pulmonary venous return (TAPVR) [MIM:106700]. Translocation t(10;21)(g23.31;g11.2). The translocation apparently alteres the expression pattern of nearby genes on chromosome 10 by means of a positional effect, and among the genes whose expression pattern is changed due to this chromosomal rearrangement, the ANKRD1 stood out as a plausible candidate gene for TAPVR pathogenesis. This rearrangement apparently does not disrupts any known genes., similarity: Contains 5 ANK repeats., subunit: Interacts with YBX1 (By similarity). Interacts with TTN/titin., tissue specificity: Mainly expressed in activated vascular endothelial cells. To a lower extent, also expressed in hepatoma cells.,

Validation Data





Western Blot analysis of various cells using CARP Polyclonal Antibody

Western blot analysis of lysates from COLO205 cells, using ANKRD1 Antibody. The lane on the right is blocked with the synthesized peptide.



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

Contact information

Orders:	order@immunoway.com
Support:	tech@immunoway.com
Telephone:	877-594-3616 (Toll Free), 408-747-0185
Website:	http://www.immunoway.com
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **CARP Rabbit pAb** For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 4 / 4