

www.immunoway.com

COL6A3 Rabbit pAb

CatalogNo: YT1036 Orthogonal Validated 💽

Key Features

Host Species • Rabbit	Reactivity Human,Mouse 	Applications IHC,IF,ELISA
MW 344kD (Calculated) 	Isotype • IgG	

Recommended Dilution Ratios

IHC 1:100-1:300 IF 1:200-1:1000 ELISA 1:40000 Not yet tested in other applications.

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information


Immunogen	The antiserum was produced against synthesized peptide derived from human Collagen		
	VI alpha3. AA range:2261-2310		


Specificity COL6A3 Polyclonal Antibody detects endogenous levels of COL6A3 protein.

Target Information

Gene name	COL6A3				
Protein Name	Collagen alpha-3(VI) chain Organism	Gene ID	UniProt ID		
	Human	<u>1293;</u>	<u>P12111;</u>		
Cellular Localization	Secreted, extracellular space, extracellular matrix .				
Tissue specificity	Colon endothel,Fibroblast,Human uterus,Kidney,Liver,Placenta,Plasma,Pooled,				
Function	Disease:Defects in COL6A3 are a cause of Bethlem myopathy (BM) [MIM:158810]. BM is a rare autosomal dominant proximal myopathy characterized by early childhood onset (complete penetrance by the age of 5) and joint contractures most frequently affecting the elbows and ankles.,Disease:Defects in COL6A3 are a cause of Ullrich congenital muscular dystrophy (UCMD) [MIM:254090]; also known as Ullrich scleroatonic muscular dystrophy. UCMD is an autosomal recessive congenital myopathy characterized by muscle weakness and multiple joint contractures, generally noted at birth or early infancy. The clinical course is more severe than in Bethlem myopathy.,Function:Collagen VI acts as a cell-binding protein.,PTM:Prolines at the third position of the tripeptide repeating unit (G-X-Y) are hydroxylated in some or all of the chains.,PTM:The N-terminus is blocked.,similarity:Belongs to the type VI collagen family.,similarity:Contains 1 BPTI/Kunitz inhibitor domain.,similarity:Contains 16 LRR (leucine-rich) repeats.,similarity:Contains 5 collagen-like domains.,subunit:Trimers composed of three different chains: alpha-1(VI), alpha-2(VI), and alpha-3(VI) or alpha-5(VI) or alpha-6(VI).,				

Validation Data





Immunofluorescence analysis of HeLa cells, using Collagen VI alpha3 Antibody. The picture on the right is blocked with the synthesized peptide.

Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using Collagen VI alpha3 Antibody. The picture on the right is blocked with the synthesized peptide.

Contact information

Orders:order@immunoway.comSupport:tech@immunoway.comTelephone:877-594-3616 (Toll Free), 408-747-0185Website:http://www.immunoway.comAddress:2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **COL6A3 Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents