

# CYP4F2 Rabbit pAb

CatalogNo: YT1235

## **Key Features**

Host Species Reactivity Applications
• Rabbit • Human • WB,IHC,IF,ELISA

MW Isotype • 60kD (Observed) • IgG

#### **Recommended Dilution Ratios**

WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:40000 IF 1:50-200

### Storage

**Storage\*** -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

#### **Basic Information**

**Clonality** Polyclonal

### Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from human CYP4F2.

AA range:41-90

**Specificity** CYP4F2 Polyclonal Antibody detects endogenous levels of CYP4F2 protein.

## | Target Information

Gene name CYP4F2

**Protein Name** Leukotriene-B(4) omega-hydroxylase 1

Organism	Gene ID	UniProt ID
Human	<u>8529;</u>	<u>P78329;</u>


Cellular Localization Microsome membrane; Peripheral membrane protein. Endoplasmic reticulum membrane; Peripheral membrane protein.

**Tissue specificity** Liver. Also present in kidney: specifically expressed in the S2 and S3 segments of proximal tubules in cortex and outer medulla (PubMed:10660572).


**Function** 

Catalytic activity:(6Z,8E,10E,14Z)-(5S,12R)-5,12-dihydroxyicosa-6,8,10,14-tetraenoate + NADPH + O(2) = (6Z,8E,10E,14Z)-(5S,12R)-5,12,20-trihydroxyicosa-6,8,10,14-tetraenoate +NADP(+) + H(2)O.,cofactor:Heme group.,Function:Cytochromes P450 are a group of hemethiolate monooxygenases. In liver microsomes, this enzyme is involved in an NADPHdependent electron transport pathway. It oxidizes a variety of structurally unrelated compounds, including steroids, fatty acids, and xenobiotics., similarity: Belongs to the cytochrome P450 family., tissue specificity: Liver.,


#### Validation Data



Western Blot analysis of various cells using CYP4F2 Polyclonal Antibody



Western Blot analysis of Hela cells using CYP4F2 Polyclonal Antibody



Immunohistochemistry analysis of paraffin-embedded human liver carcinoma, using Cytochrome P450 4F2 Antibody. The picture on the right is blocked with the synthesized peptide.

#### | Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **CYP4F2 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents