**Applications** 



# **Histamine H1 Receptor Rabbit pAb**

CatalogNo: YT2140

### **Key Features**

Host Species Reactivity

Rabbit
 Human,Rat,Mouse,

Isotype

IgG

an,Rat,Mouse, • WB,IF,ELISA

MW60kD (Observed)

#### Recommended Dilution Ratios

WB 1:500-1:2000 IF 1:200-1:1000 ELISA 1:10000

Not yet tested in other applications.

### Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

**Clonality** Polyclonal

## Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from human HRH1. AA

range:141-190

**Specificity** Histamine H1 Receptor Polyclonal Antibody detects endogenous levels of Histamine H1

Receptor protein.

## | Target Information

**Gene name** 

HRH1

**Protein Name** 

Histamine H1 receptor

| Organism | Gene ID      | UniProt ID      |  |
|----------|--------------|-----------------|--|
| Human    | <u>3269;</u> | <u>P35367</u> ; |  |
| Mouse    |              | <u>P70174;</u>  |  |

Cellular Localization Cell membrane; Multi-pass membrane protein.


Localization

Tissue specificity Lens epithelium,Lung,


**Function** 

Function:In peripheral tissues, the H1 subclass of histamine receptors mediates the contraction of smooth muscles, increase in capillary permeability due to contraction of terminal venules, and catecholamine release from adrenal medulla, as well as mediating neurotransmission in the central nervous system.,PTM:Potential sites of phosphorylation in the third cytoplasmic loop may play an important role in regulating signal transduction through the receptor molecule.,similarity:Belongs to the G-protein coupled receptor 1 family.,


### **Validation Data**



Western Blot analysis of various cells using Histamine H1 Receptor Polyclonal Antibody diluted at 1:2000



Immunofluorescence analysis of LOVO cells, using HRH1 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from COLO205 cells, using HRH1 Antibody. The lane on the right is blocked with the synthesized peptide.

### | Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

Histamine H1

Receptor Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents