Applications

WB,ELISA,IHC



Ribosomal Protein S18 Rabbit pAb

CatalogNo: YT4125

Key Features

Host Species Reactivity

Rabbit
 Human, Mouse, Rat

MW Isotype
• 18kD (Observed) • IgG

Recommended Dilution Ratios

WB 1:500-2000 IHC 1:50-300

ELISA 1:2000-20000

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen Synthesized peptide derived from Ribosomal Protein S18 . at AA range: 50-130

Specificity Ribosomal Protein S18 Polyclonal Antibody detects endogenous levels of Ribosomal

Protein S18 protein.

| Target Information

Gene name RPS18

Protein Name 40S ribosomal protein S18

Organism	Gene ID	UniProt ID
Human	<u>6222;</u>	<u>P62269;</u>
Mouse	20084;	<u>P62270;</u>
Rat	294282;	<u>P62271</u> ;


Cellular Localization Cytoplasm.

Tissue specificity Bone, Brain, Colon carcinoma, Embryonal rhabdomyosarcoma, Placenta,


Function Function:Located at the top of the head of the 40S subunit, it contacts several helices of the

18S rRNA., similarity: Belongs to the ribosomal protein S13P family.,

Validation Data



Western blot analysis of lysates from KB cells, primary antibody was diluted at 1:1000, 4° over night



Immunohistochemical analysis of paraffin-embedded human cervical carcinoma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

| Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **Ribosomal Protein S18 Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents