Applications

WB,IHC,IF,ELISA



FGF9 Rabbit pAb

CatalogNo: YT5179

Key Features

Host Species Reactivity

Rabbit
 Human, Mouse, Rat

MW Isotype
• 23kD (Observed) IgG

Recommended Dilution Ratios

WB 1:500-1:2000 IHC: 1:100-300 ELISA 1:20000 IF 1:50-200

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen The antiserum was produced against synthesized peptide derived from the C-terminal

region of human FGF9. AA range:141-190

Specificity FGF-9 Polyclonal Antibody detects endogenous levels of FGF-9 protein.

Target Information

Gene name

FGF9

Protein Name

Fibroblast growth factor 9

Organism	Gene ID	UniProt ID
Human	<u>2254;</u>	<u>P31371;</u>
Mouse	<u>14180;</u>	<u>P54130;</u>
Rat	<u>25444;</u>	<u>P36364;</u>

Cellular Localization


Secreted.

Tissue specificity Glial cells.


Function

Disease:The continuous overexpression of GAFS may lead to malignant cell growth caused by an autocrine loop.,Function:May have a role in glial cell growth and differentiation during development, gliosis during repair and regeneration of brain tissue after damage, differentiation and survival of neuronal cells, and growth stimulation of glial tumors.,PTM:N-glycosylated.,PTM:Three molecular species were found (30 kDa, 29 kDa and 25 kDa), cleaved at Leu-4, Val-13 and Ser-34 respectively. The smaller ones might be products of proteolytic digestion. Furthermore, there may be a functional signal sequence in the 30 kDa species which is uncleavable in the secretion step.,similarity:Belongs to the heparin-binding growth factors family.,subunit:Monomer.,tissue specificity:Glial cells.,


Validation Data




Western Blot analysis of SW480 cells using FGF-9 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded rat-brain, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded mouse-brain, antibody was diluted at 1:100



Western blot analysis of lysate from SW480 cells, using FGF9 Antibody.

| Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **FGF9 Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents