Applications

WB,IHC



LASP-1 Rabbit pAb

CatalogNo: YT5234

Key Features

Host Species Reactivity

Rabbit
 Human, Mouse, Rat

MW Isotype
• 28kD (Observed) • IgG

Recommended Dilution Ratios

WB 1:500-2000 IHC 1:50-300

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen The antiserum was produced against synthesized peptide derived from the Internal

region of human LASP1. AA range:51-100

Specificity LASP-1 Polyclonal Antibody detects endogenous levels of LASP-1 protein.

| Target Information

Gene name LASP1

Protein Name

LIM and SH3 domain protein 1

Organism	Gene ID	UniProt ID
Human	<u>3927;</u>	<u>Q14847;</u>
Mouse	<u>16796;</u>	<u>Q61792;</u>
Rat	<u>29278;</u>	<u>Q99MZ8</u> ;

Cellular Localization


Cytoplasm, cell cortex. Cytoplasm, cytoskeleton. Associated with the F-actin rich cortical cytoskeleton. .

Tissue specificity Epithelium, Liver, Mammary carcinoma, Platelet, Skin, T-cell,

Function

Function:Plays an important role in the regulation of dynamic actin-based, cytoskeletal activities. Agonist-dependent changes in LASP1 phosphorylation may also serve to regulate actin-associated ion transport activities, not only in the parietal cell but also in certain other F-actin-rich secretory epithelial cell types., PTM: Phosphorylated., similarity: Contains 1 LIM zinc-binding domain., similarity: Contains 1 SH3 domain., similarity: Contains 2 nebulin repeats., subcellular location: Associated with the F-actin rich cortical cytoskeleton., subunit: Interacts with F-actin.,

Validation Data



Western Blot analysis of HepG2 cells using LASP-1 Polyclonal Antibody. Antibody was diluted at 1:500. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human Squamous cell carcinoma of lung. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

| Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

LASP-1 Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents