

# SIGLEC8 Rabbit pAb

CatalogNo: YT5278

# Key Features

Host Species <ul> <li>Rabbit</li> </ul>	Reactivity • Human	Applications <ul> <li>WB,ELISA</li> </ul>
MW • 50kD (Observed)	Isotype • IgG	

## **Recommended Dilution Ratios**

WB 1:500-1:2000 ELISA 1:20000 Not yet tested in other applications.

## **Storage**

Storage\*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

#### **Basic Information**

Clonality Polyclonal

#### Immunogen Information


ImmunogenThe antiserum was produced against synthesized peptide derived from the Internal<br/>region of human SIGLEC8. AA range:81-130

**Specificity** CD329 Polyclonal Antibody detects endogenous levels of CD329 protein.


## **Target Information**

Gene name	SIGLEC8		
Protein Name	Sialic acid-binding Ig-like lectin 8 Organism	Gene ID	UniProt ID
	Human	<u>27181;</u>	<u>Q9NYZ4;</u>
Cellular Localization	Membrane; Single-pass type I membrane protein.		
Tissue specificity	Expressed specifically on red blood cells namely basophil, mast cells and eosinophils.		
Function	Domain:Contains 1 copy of a cytoplasmic motif that is referred to as the immunoreceptor tyrosine-based inhibitor motif (ITIM). This motif is involved in modulation of cellular responses. The phosphorylated ITIM motif can bind the SH2 domain of several SH2-containing phosphatases.,Function:Putative adhesion molecule that mediates sialic-acid dependent binding to cells. Preferentially binds to alpha-2,3-linked sialic acid. Also binds to alpha-2,6-linked sialic acid. The sialic acid recognition site may be masked by cis interactions with sialic acids on the same cell surface.,online information:Siglec-8,similarity:Belongs to the immunoglobulin superfamily. SIGLEC (sialic acid binding Ig-like lectin) family.,similarity:Contains 1 Ig-like V-type (immunoglobulin-like) domain.,similarity:Contains 2 Ig-like C2-type (immunoglobulin-like) domains.,tissue specificity:Expressed specifically on eosinophils.,		

# Validation Data



Western Blot analysis of K562 cells using CD329 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Western blot analysis of lysate from K562 cells, using SIGLEC8 Antibody.

## **Contact information**

order@immunoway.com
tech@immunoway.com
877-594-3616 (Toll Free), 408-747-0185
http://www.immunoway.com
2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **SIGLEC8 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents