

# **AAT Rabbit pAb**

CatalogNo: YT5561 Orthogonal Validated 💽

## **Key Features**

Host Species Reactivity Applications

Rabbit
 Human,Rat
 WB,IHC,IF,ELISA

MW Isotype
• 47kD (Observed) • IgG

#### Recommended Dilution Ratios

WB 1:500-1:2000 IHC: 1:100-1:300 ELISA 1:10000 IF 1:50-200

## Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

## **Basic Information**

**Clonality** Polyclonal

## Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from the N-terminal

region of human SERPINA1. AA range:1-50

**Specificity** AAT Polyclonal Antibody detects endogenous levels of AAT protein.

# | Target Information

Gene name SERPINA1

**Protein Name** Alpha-1-antitrypsin

Organism Gene ID UniProt ID

Human 5265; P01009;


Cellular Localization Secreted. Endoplasmic reticulum. The S and Z allele are not secreted effectively and accumulate intracellularly in the endoplasmic reticulum.; [Short peptide from AAT]: Secreted, extracellular space, extracellular matrix.

**Tissue specificity** Ubiquitous. Expressed in leukocytes and plasma.


#### **Function**

Disease: Deficiency of the normal inhibitor in individuals homozygous for allele Z or M-Malton can result in the development of chronic emphysema or infantile liver cirrhosis., Disease: The major physiological function of AAT is the protection of the lower respiratory tract against proteolytic destruction by human leukocyte elastase (HLE). A hereditary deficiency of AAT, is associated with a 20-30 fold increased risk of developing chronic obstructive pulmonary disease., Disease: Variant Pittsburgh is the cause of bleeding diathesis., Domain: The reactive center loop (RCL) extends out from the body of the protein and directs binding to the target protease. The protease cleaves the serpin at the reactive site within the RCL, establishing a covalent linkage between the carboxyl group of the serpin reactive site and the serine hydroxyl of the protease. The resulting inactive serpinprotease complex is highly stable., Function: Inhibitor of serine proteases. Its primary target is elastase, but it also has a moderate affinity for plasmin and thrombin. Irreversibly inhibits trypsin, chymotrypsin and plasminogen activator. The aberrant form inhibits insulin-induced NO synthesis in platelets, decreases coagulation time and has proteolytic activity against insulin and plasmin., Function: Short peptide from AAT (SPAAT) is a reversible chymotrypsin inhibitor. It also inhibits elastase, but not trypsin, miscellaneous: The aberrant form is found in the plasma of chronic smokers, and persists after smoking is ceased. It can still be found ten years after smoking has ceased., online information: Alpha-1 antitrypsin entry,polymorphism: The sequence shown is that of the M1V allele which is the most common form of PI (44 to 49%). Other frequent alleles are: M1A 20 to 23%; M2 10 to 11%; M3 14 to 19%.,PTM:Proteolytic processing may yield the truncated form that ranges from Asp-30 to Lys-418.,PTM:Several isomers are observed, resulting from the combination of different N-linked glycan structures and mature N-terminus. N-linked glycan at Asn-107 is alternatively di-antennary, tri-antennary or tetra-antennary, whereas glycan at Asn-70 is diantennary with trace amounts of tri-antennary, and glycan at Asn-271 is exclusively diantennary. The structure of the antennas is Neu5Ac(alpha1-6)Gal(beta1-4)GlcNAc attached to the core structure Man(alpha1-6)[Man(alpha1-3)]Man(beta1-4)GlcNAc(beta1-4)GlcNAc. Some antennas are fucosylated, which forms a Lewis-X determinant., similarity: Belongs to the serpin family., tissue specificity: Plasma.,

## **Validation Data**



Western Blot analysis of NIH-3T3 cells using AAT Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-colon, antibody was diluted at 1:100

#### | Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **AAT Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents