

www.immunoway.com

NTN Rabbit pAb

CatalogNo: YT5649 Orthogonal Validated 💽

Key Features

Host Species • Rabbit	ReactivityHuman,Mouse	ApplicationsWB,ELISA
MW • 22kD (Observed)	Isotype • IgG	

Recommended Dilution Ratios

WB 1:500-1:2000 ELISA 1:10000 Not yet tested in other applications.

Storage

Storage*	-15°C to -25°C/1 year(Do not lower than -25°C)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen	The antiserum was produced against synthesized peptide derived from the Internal region of human NRTN. AA range:111-160
Specificity	NTN Polyclonal Antibody detects endogenous levels of NTN protein.

Target Information

Gene name	NRTN		
Protein Name	Neurturin		
	Organism	Gene ID	UniProt ID
	Human	<u>4902;</u>	<u>Q99748;</u>
	Mouse	<u>18188;</u>	<u>P97463;</u>
Cellular Localization	Secreted.		
Tissue specificity	Melanoma,Peripheral blood lymp	bhocyte,	
Function	intestinal obstruction.,Function:S	T gene, and possibly with e. This genetic disorder of intramural ganglion cells Supports the survival of sy and maintenance of the C haemopoietic cells.,simil	o other loci, defects in NRTN are neural crest development is in the hindgut, often resulting in ympathetic neurons in culture. NS. Might control the size of non- arity:Belongs to the TGF-beta

Validation Data



Western Blot analysis of K562, L929 cells using NTN Polyclonal Antibody. Antibody was diluted at 1:1000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Western Blot analysis of K562 cells using NTN Polyclonal Antibody diluted at 1:1000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000

Contact information

order@immunoway.com
tech@immunoway.com
877-594-3616 (Toll Free), 408-747-0185
http://www.immunoway.com
2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **NTN Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents