

www.immunoway.com

IL-17D Rabbit pAb

CatalogNo: YT6048

Key Features

Host Species

Rabbit

Reactivity

Human

ApplicationsIHC,IF,ELISA

Isotype • IgG

Recommended Dilution Ratios

IHC 1:50-200 ELISA 1:10000-20000 IF 1:50-200

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

ImmunogenSynthetic peptide from human protein at AA range: 141-190


Specificity The antibody detects endogenous IL-17D

Target Information

Gene name IL17D IL27 UNQ3096/PRO21175

| Protein Name | Interleukin-17D (IL-17D) (Interleukin-27) (IL-27) | | | |
|--------------------------|---|---------------|----------------|--|
| | Organism | Gene ID | UniProt ID | |
| | Human | <u>53342;</u> | <u>Q8TAD2;</u> | |
| Cellular Localization | Secreted. | | | |
| Tissue specificity | Expressed preferentially in adipose, skeletal muscle and CNS. | | | |
| Function | Function:Induces expression of IL-6, IL-8, and GM-CSF from endothelial cells.,online information:Interleukin-17 entry,similarity:Belongs to the IL-17 family.,tissue specificity:Expressed preferentially in adipose, skeletal muscle and CNS., | | | |

Validation Data



Immunohistochemical analysis of paraffin-embedded Human-tonsil, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded Human-brain, antibody was diluted at 1:100

Contact information

| Orders: | order@immunoway.com | |
|------------|--|--|
| Support: | tech@immunoway.com | |
| Telephone: | 877-594-3616 (Toll Free), 408-747-0185 | |
| Website: | http://www.immunoway.com | |
| Address: | 2200 Ringwood Ave San Jose, CA 95131 USA | |



Please scan the QR code to access additional product information: **IL-17D Rabbit pAb** For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3